

Patient Name:	
Date of birth:	
Phone #:	

Behavioral Health Care Agreement

sig	ning below I consent to the treatment of myself/my child by the Licensed Medical Providers of Peak Pediatrics, LLC for mental and behavioral health services.
1)	I understand that when a new medication is started or restarted, my child may need to have monthly visits to obtain refills until my child is doing well on his/her medications. Initial
2)	Once my child is doing well on their current medications, I understand that I am responsible for ensuring that I/my child is seen every 3 months for a medication check. Please attempt to schedule follow up med check appointment before leaving the office to ensure available appointments. If unable to schedule before leaving clinic, parents/patients are responsible for calling 5-6 weeks ahead of time to schedule next med check appointment.
3)	I understand that I may receive 3 months of prescription refills for my child at the end of the appointment. These are my responsibility and should I lose them, these will not be replaced. initial
4)	I understand that if I cancel an upcoming med check appointment or No-Show for a scheduled appointment, the prescribed medication may not be refilled and a rescheduled appointment will need to be made in order to receive refills. Med check appointments will be scheduled for the next available slot, which may be 1-2 months from original appointment date. initial
5)	I understand that Peak Pediatrics only sees established patients for Med Checks appointments. If you would like for your child to be seen for mental/behavioral health reasons, you must transfer all routine care to us and receive yearly well child care with us. No exceptions will be made for this. Initial
6)	I understand that annual Well Child Visits are an important part of caring for myself/my child and understand that if annual Well Child Visits are not completed, mental/behavioral health medications may not be refilled. initial
7)	I understand that Medication Checks and Well Child Visits are both necessary yet separate visit types. Should you like to have a Medication Check combined with a Well Child Visit, it must be clearly expressed to the scheduler in order to provide adequate time for both. initial
	By signing below I agree to the terms of the Peak Pediatrics Behavioral Health Care Agreement.
	Legal Guardian Date

NICHQ Vanderbilt Assessment Scale—PARENT Informant Today's Date: _____ Child's Name: ____ _____ Date of Birth: ____ Parent's Name: Parent's Phone Number: <u>Directions</u>: Each rating should be considered in the context of what is appropriate for the age of your child. When completing this form, please think about your child's behaviors in the past 6 months. Is this evaluation based on a time when the child ☐ was on medication ☐ was not on medication ☐ not sure? **Symptoms** Never Occasionally Often Very Often 1. Does not pay attention to details or makes carcless mistakes with, for example, homework 2. Has difficulty keeping attention to what needs to be done 3. Does not seem to listen when spoken to directly 4. Does not follow through when given directions and fails to finish activities (not due to refusal or failure to understand) 5. Has difficulty organizing tasks and activities 6. Avoids, dislikes, or does not want to start tasks that require ongoing 7. Loses things necessary for tasks or activities (toys, assignments, pencils, or books) 8. Is easily distracted by noises or other stimuli 9. Is forgetful in daily activities 10. Fidgets with hands or feet or squirms in seat 11. Leaves seat when remaining seated is expected 12. Runs about or climbs too much when remaining seated is expected 13. Has difficulty playing or beginning quiet play activities 14. Is "on the go" or often acts as if "driven by a motor" 15. Talks too much ı 16. Blurts out answers before questions have been completed ı 17. Has difficulty waiting his or her turn 18. Interrupts or intrudes in on others' conversations and/or activities 19. Argues with adults ı 20. Loses temper 21. Actively defies or refuses to go along with adults' requests or rules l 22. Deliberately annoys people 23. Blames others for his or her mistakes or misbehaviors ı 24. Is touchy or easily annoyed by others 25. Is angry or resentful 26. Is spiteful and wants to get even 27. Bullies, threatens, or intimidates others 28. Starts physical fights 29. Lies to get out of trouble or to avoid obligations (ie, "cons" others) 30. Is truant from school (skips school) without permission

The information contained in this publication should not be used as a substitute for the medical care and advice of your pediatrician. There may be variations in treatment that your pediatrician may recommend based on individual facts and circumstances.

Copyright ©2002 American Academy of Pediatrics and National Initiative for Children's Healthcare Quality

Adapted from the Vanderbilt Rating Scales developed by Mark L. Walraich, MD.

American Academy of Pediatrics

31. Is physically cruel to people

32. Has stolen things that have value







NICHQ Vanderbilt Assessment Scale—PARENT Informant Today's Date: _____ Date of Birth: _____ Parent's Phone Number: Parent's Name: ___ Symptoms (continued) Never Occasionally Often **Very Often** 33. Deliberately destroys others' property 34. Has used a weapon that can cause serious harm (bat, knife, brick, gun) 35. Is physically cruel to animals 36. Has deliberately set fires to cause damage 37. Has broken into someone else's home, business, or car Ō l 38. Has stayed out at night without permission 39. Has run away from home overnight 40. Has forced someone into sexual activity 41. Is fearful, anxious, or worried 42. Is afraid to try new things for fear of making mistakes 43. Feels worthless or inferior l 44. Blames self for problems, feels guilty 45. Feels lonely, unwanted, or unloved; complains that "no one loves him or her" 46. Is sad, unhappy, or depressed 47. Is self-conscious or easily embarrassed Somewhat **Above** of a **Performance Excellent Average** Problem Problematic **Average** 48. Overall school performance 49. Reading 50. Writing

ı

Comments:

51. Mathematics

52. Relationship with parents

53. Relationship with siblings

55. Participation in organized activities (eg. teams)

54. Relationship with peers

For Office Use Only	
Total number of questions scored 2 or 3 in questions 1-9:	
Total number of questions scored 2 or 3 in questions 10-18:	
Total Symptom Score for questions 1-18:	
Total number of questions scored 2 or 3 in questions 19-26:	
Total number of questions scored 2 or 3 in questions 27-40:	····
Total number of questions scored 2 or 3 in questions 41-47:	
Total number of questions scored 4 or 5 in questions 48-55:	
Average Performance Score:	







Screen for Child Anxiety Related Disorders (SCARED)

Parent Version—Pg. 1 of 2 (To be filled out by the PARENT)

Name:		
Date:	 	

Directions:

Below is a list of statements that describe how people feel. Read each statement carefully and decide if it is "Not True or Hardly Ever True" or "Somewhat True or Sometimes True" or "Very True or Often True" for your child. Then for each statement, fill in one circle that corresponds to the response that seems to describe your child for the last 3 months. Please respond to all statements as well as you can, even if some do not seem to concern your child.

	0 Not True or Hardly Ever True	1 Somewhat True or Sometimes True	2 Very True or Often True
1. When my child feels frightened, it is hard for him/her to breathe.	0	0	0
2. My child gets headaches when he/she is at school.	0	0	0
3. My child doesn't like to be with people he/she doesn't know well.	0	0	0
4. My child gets scared if he/she sleeps away from home.	0	0	0
5. My child worries about other people liking him/her.	0	0	0
6. When my child gets frightened, he/she feels like passing out.	0	0	0
7. My child is nervous.	0	0	0
8. My child follows me wherever I go.	0	0	0
9. People tell me that my child looks nervous.	0	0	0
10. My child feels nervous with people he/she doesn't know well.	0	0	0
11. My child gets stomachaches at school.	0	0	0
12. When my child gets frightened, he/she feels like he/she is going crazy.	0	0	0
13. My child worries about sleeping alone.	0	0	0
14. My child worries about being as good as other kids.	0	0	0
15. When he/she gets frightened, he/she feels like things are not real.	0	0	0
16. My child has nightmares about something bad happening to his/her parents.	0	0	0
17. My child worries about going to school.	0	0	0
18. When my child gets frightened, his/her heart beats fast.	0	0	0
19. He/she gets shaky.	0	0	0
20. My child has nightmares about something bad happening to him/her.	0	0	0

Screen for Child Anxiety Related Disorders (SCARED)

Parent Version—Pg. 2 of 2 (To be filled out by the PARENT)

	0 Not True or Hardly Ever True	Somewhat True or Sometimes True	2 Very True or Often True
21. My child worries about things working out for him/her.	0	0	0
22. When my child gets frightened, he/she sweats a lot.	0	0	0
23. My child is a worrier.	0	0	0
24. My child gets really frightened for no reason at all.	0	0	0
25. My child is afraid to be alone in the house.	0	0	0
26. It is hard for my child to talk with people he/she doesn't know well.	0	0	0
27. When my child gets frightened, he/she feels like he/she is choking.	0	0	0
28. People tell me that my child worries too much.	0	0	0
29. My child doesn't like to be away from his/her family.	0	0	0
30. My child is afraid of having anxiety (or panic) attacks.	0	0	0
31. My child worries that something bad might happen to his/her parents.	0	0	0
32. My child feels shy with people he/she doesn't know well.	0	0	0
33. My child worries about what is going to happen in the future.	0	0	0
34. When my child gets frightened, he/she feels like throwing up.	0	0	0
35. My child worries about how well he/she does things.	0	0	0
36. My child is scared to go to school.	0	0	0
37. My child worries about things that have already happened.	0	0	0
38. When my child gets frightened, he/she feels dizzy.	0	0	0
39. My child feels nervous when he/she is with other children or adults and he/she has to do something while they watch him/her (for example: read aloud, speak, play a game, play a sport.)	0	0	0
40. My child feels nervous when he/she is going to parties, dances, or any place where there will be people that he/she doesn't know well.	0	0	0
41. My child is shy.	0	0	0

SCORING:

A total score of \geq 25 may indicate the presence of an Anxiety Disorder. Scores higher than 30 are more specific. A score of 7 for items 1, 6, 9, 12, 15, 18, 19, 22, 24, 27, 30, 34, 38 may indicate Panic Disorder or Significant

Somatic Symptoms.

A score of 9 for items 5, 7, 14, 21, 23, 28, 33, 35, 37 may indicate Generalized Anxiety Disorder.

A score of 5 for items 4, 8, 13, 16, 20, 25, 29, 31 may indicate Separation Anxiety Disorder.

A score of 8 for items 3, 10, 26, 32, 39, 40, 41 may indicate Social Anxiety Disorder.

A score of 3 for items 2, 11, 17, 36 may indicate Significant School Avoidance.

Developed by Boris Birmaher, M.D., Suneeta Khetarpal, M.D., Marlane Cully, M.Ed., David Brent M.D., and Sandra McKenzie, Ph.D., Western Psychiatric Institute and Clinic, University of Pgh. (10/95). E-mail: birmaherb@msx.upmc.edu

Please have your CHILD fill out this survey. (only if your child is 12 years old or older)

Part of routine screening for your health includes considering mood and emotional concerns. Instructions: How often have you been bothered by each of the following symptoms during the past two weeks? For each symptom put an "X" in the box beneath the answer that best describes how you have been feeling.

	(0)	(1)	(2)	(3)	
	Not At All	Several Days	More Than Half the Days	Nearly Every Day	
Feeling down, depressed, irritable or hopeless?					
Little interest or pleasure in doing things?					
Trouble falling or staying asleep or sleeping too much?					
Poor appetite, weight loss, or overeating?					
Feeling tired or having little energy?					
Feeling bad about yourself —or feeling that you are a failure, or have let yourself or your family down?					
Trouble concentrating on things, like school work, reading or watching TV?					
Moving or speaking so slowly that other people could have noticed? Or the opposite – being so fidgety or restless that you were moving around a lot more than usual?					
Thoughts that you would be better off dead, or of hurting yourself in some way?					
In the <i>past year</i> have you felt depressed or sad most days, even if you felt OK sometimes? Yes No lf you are experiencing any of the problems on this form, how difficult have these problems made it for					
you to do your work, take care of things at home or get a Not difficult at all Somewhat difficult	ery difficult	Extreme	ely difficult		
Has there been a time in the past month when you have about ending your life?	had seriou	s thoughts		Yes ☐ No	
Have you ever, in your whole life, tried to kill yourself or	made a su	licide attempt	? 🗖	Yes □ No	

PHQ-9 Modified for Teens, www.teenscreen.org

For Office Use Only: Score _